


-48-

ABSTRACT

PIPERIDINE-AMINO-BENZIMIDAZOLE DERIVATIVES AS INHIBITORS OF RESPIRATORY SYNCYTIAL VIRUS REPLICATION

The present invention concerns piperidine-amino-benzimidazoles having inhibitory activity on the replication of the respiratory syncytial virus and having the formula



their prodrugs, *N*-oxides, addition salts, quaternary amines, metal complexes and stereochemically isomeric forms wherein Q is C₁₋₆alkyl optionally substituted with trifluoromethyl, C₃₋₇cycloalkyl, Ar², hydroxy, C₁₋₄alkoxy, C₁₋₄alkylthio, Ar²-oxy-, Ar²-thio-, Ar²(CH₂)_noxy, Ar²(CH₂)_nthio, hydroxycarbonyl, aminocarbonyl, C₁₋₄alkyl-carbonyl, Ar²carbonyl, C₁₋₄alkoxycarbonyl, Ar²(CH₂)_ncarbonyl, aminocarbonyloxy, C₁₋₄alkylcarbonyloxy, Ar²carbonyloxy, Ar²(CH₂)_ncarbonyloxy, C₁₋₄alkoxy-carbonyl(CH₂)_noxy, mono- or di(C₁₋₄alkyl)aminocarbonyl, mono- or di(C₁₋₄alkyl)-aminocarbonyloxy, aminosulfonyl, mono- or di(C₁₋₄alkyl)aminosulfonyl or a heterocycles selected from the group consisting of pyrrolidinyl, pyrrolyl, dihydropyrrolyl, imidazolyl, triazolyl, piperidinyl, homopiperidinyl, piperazinyl, morpholinyl, thiomorpholinyl, 1-oxo-thiomorpholinyl, 1,1-dioxothiomorpholinyl, pyridyl and tetrahydropyridyl, wherein each of said heterocycle may optionally be substituted with oxo or C₁₋₆alkyl; G is a direct bond or optionally substituted C₁₋₁₀alkanediyl; R¹ is Ar¹ or a monocyclic or bicyclic heterocycle; one of R^{2a} and R^{3a} is C₁₋₆alkyl and the other one of R^{2a} and R^{3a} is hydrogen; in case R^{2a} is different from hydrogen then R^{2b} is hydrogen or C₁₋₆alkyl, and R^{3b} is hydrogen; in case R^{3a} is different from hydrogen then R^{3b} is hydrogen or C₁₋₆alkyl, and R^{2b} is hydrogen; t is 1, 2 or 3; Ar¹ is phenyl or substituted phenyl; and Ar² is phenyl or substituted phenyl. It further concerns their preparation and compositions comprising them, as well as their use as a medicine.